




WHERE HAVE ALL THE COMETS GONE?

By Pam Frost Gorder

A chunk of ice and rock 10 kilometers wide drifted through space. As part of leftover cosmic debris on the outskirts of a solar system billions of years old, the rock circled until a passing planet's gravity nudged it off course just enough to trace a new orbit, one that periodically carried it closer to its central star. Solar radiation washed over the rock, setting it aglow.

A close encounter with Jupiter tore the rock to pieces, and its remains spiraled inward at 60 kilometers per second—a speed that would cover the distance from New York City to Los Angeles in less than a minute and a half. When the fragments struck Jupiter, they detonated with more energy than all of the Earth's nuclear weapons combined.

It was a cataclysmic event like count-



This is a composite photo from separate images of Jupiter and Comet Shoemaker-Levy 9, as imaged by NASA's Hubble Space Telescope. Photo courtesy of NASA.

less others that helped shape our solar system so long ago. What was different about this event was that it happened in 1994, the rock was Comet Shoemaker-Levy 9, and, for the first time, the world was watching.

Comet Modeling

Comets are the fossils of the solar system. From their chemical composition to the path they cut across the sky, they convey a wealth of information about how the planets first formed. Events such as the demise of Shoemaker-Levy offer clues about whether a similar collision is in Earth's future. But because sightings of these objects are so rare, astronomers must use computer simulations to fill the knowledge gap.

Planetary scientist Hal Levison and his colleagues at the Southwest Research Institute (SWRI) in San Antonio, Texas, recently drew on two computer models to solve a mystery: Why do we see so few comets?

Theoretically, the solar system is surrounded by billions of comets in a swarm called the Oort comet cloud. Of the thousands of Oort comets expected to fall into near solar orbit every year, we only spot about a dozen.

Levison and his team modeled the fate of thousands of fictitious comets. After calculating how many would hit a planet, hit the Sun, or be ejected from the solar system, some 99 percent of comets remained unaccounted for. The astronomers concluded in the June 2002 issue of the journal *Science* that these comets must simply break up—or, as Levison put it, “go poof.”

What has Levison been working on since publishing the paper?

“Well, this may sound funny, but I am trying to prove it wrong,” he says. “I think we are missing something very fundamental about the dynamics of comets.”

As astronomers confront the question of the missing comets, they are forced to wonder whether their ideas about the solar system's origin and structure are lacking. The necessary calculations can involve large numbers of objects, complex gravitational interactions, or both. But most of the work can be done on a small computer cluster or even a single PC.

Levison's team modeled its fictitious comets on a small cluster of Unix workstations. “We really don't need any fancy hardware to do this work. Our problem is one of CPU speed and software efficiency, since the simulations usually take weeks to months of CPU time,” he says.

To Levison, most astronomers are modeling problems that are “wide and shallow,” meaning they want to track the behavior of millions of objects for only a few iterations. His problems are “narrow and deep,” because he tracks a small number of objects over many iterations—for instance, the orbits of 1,000 comets over 40 billion iterations, or 4 billion years.

Comets trace such long orbits because they have been around since the solar system began. According to astronomers' current view, bits of rock and frozen chemicals circled the early sun, condensing from an amorphous

sphere into a disk. Rocks collided, fusing into larger chunks with the chemicals buried inside. Some of the chunks grew bigger, eventually becoming Earth and the other terrestrial planets. The new planets' gravity kicked around the leftover bits until they were knocked into the outskirts of the solar system. Barely held in orbit by the distant Sun's gravity, comets in the Oort cloud feel the tugs of other passing stars and even the slow rotation of our Milky Way galaxy.

We must take all these gravitational effects into account when modeling comets, explains Paul Thomas, professor of physics and astronomy at the University of Wisconsin-Eau Claire (UWEC).

"The modeling of cometary orbits faces the worst challenges of solar system dynamics," he says. "Given that the long-term study of orbits for even sedate bodies like planets is limited by chaos considerations, evaluating the orbit of any single comet for even one period into the future is a difficult task."

Comet structure further complicates things, because the frozen chemicals trapped in the rock can vaporize when the comet ventures close to the Sun. Streams of gas and dust jet from openings in the rock, pushing the comet like rocket engines. What's more, the jets could "fire" differently each time a comet passes the Sun, because pockets of volatile material exist at different places inside the nucleus.

The mathematics is also complex, explains John Anderson, an astronomer at NASA's Jet Propulsion Laboratory (JPL). The equations are nonlinear and require numerical approximations. Also, the equations must account for movement with six degrees of freedom—three degrees each for the position and velocity of a comet. "Levison's comet project would have involved thousands of degrees of freedom," Anderson says.

Changing Views of the Solar System

Astronomers once explained away missing comets by suggesting that the comets had gone dormant—meaning that the Sun's radiation had stripped away the ice that creates the stereotypical comet glow in the sky as seen from Earth. Without their ice, comets would be small, dark, and much harder to see.

But Levison's latest work refutes the idea that many comets become dormant. He modeled not only the paths of thousands of hypothetical comets, but also the number of sightings that should hypothetically result. His conclusion: if many dormant comets were floating around the solar system, more of them would have been seen by now.

That's what led him and his colleagues to wonder if comets do indeed "go poof." They suggested in their paper that perhaps the frozen comets heat too quickly when approaching the Sun and burst into pieces.


For scientists who are trying to calculate the chances of

Earth suffering a comet impact, Levison's work would seem to suggest that the danger is quite low.

At UWEC, Thomas has modeled how comets might have impacted the Earth in the early days of the solar system. His work grew into the book *Comets and the Origin and Evolution of Life* (Springer-Verlag, 1996). The evidence of collisions can be seen in the craters of the moon, and even craters here on Earth, he explains. But because scientists know so little about the dynamics of the system, Thomas and his collaborators try to estimate plausible fractions of impacts that may have been of cometary origin.

"If Levison's analysis stands up—and it seems very thorough to me—it might help reduce our estimates for impact risk from near-Earth asteroids that originated as dormant comets," Thomas says.

JPL's Anderson says Levison's work definitely influences his own study of cometary dynamics, particularly because of the problems it raises with the Oort cloud. Perhaps the comet deficit occurs because the cloud is disk shaped not spherical; Levison's analysis addresses this possibility. Or




Stop !


Don't buy a different software product for every modeling problem.

With FlexPDE you can solve whole families of 2D and 3D field problems!


Like electromagnetics, heatflow, deformation, and lots more. Steady-state, time-dependent, time-harmonic or eigenvalues.



Open Tube
Combustion Reactor



3D Multi-material
Thermoelasticity



T-Septate Waveguide

With a redesigned user interface, FlexPDE 3.0 is more than ever the indispensable tool for scientists and engineers • FlexPDE 3.0 is a scripted finite element model builder for partial differential equations systems • Linear or Nonlinear • 2D or 3D plus time or eigenvalues • Unlimited number of variables • Windows, Unix, Linux or Mac OSX
• Download a demo from our website

PDE Solutions Inc

P.O. Box 4217 • Antioch, CA • 94531
925-776-2407 • FAX 925-776-2406
www.pdesolutions.com

EDITOR IN CHIEF

Francis Sullivan, IDA Ctr. for Computing Sciences
fran@super.org

ASSOCIATE EDITORS IN CHIEF

Anthony C. Hearn, RAND
hearn@rand.org

Douglass E. Post, Los Alamos Nat'l Lab.
post@lanl.gov

John Rundle, Univ. of California at Davis
rundle@physics.ucdavis.edu

EDITORIAL BOARD MEMBERS

Klaus-Jürgen Bathe, Mass. Inst. of Technology, kjb@mit.edu
Antony Beris, Univ. of Delaware, beris@che.udel.edu
Michael W. Berry, Univ. of Tennessee, berry@cs.utk.edu
John Blondin, North Carolina State Univ., john_blondin@ncsu.edu
Bruce M. Boghosian, Tufts Univ., bruce.boghosian@tufts.edu
David M. Ceperley, Univ. of Illinois, ceperley@uiuc.edu
Norman Chonacky, Columbia Univ., chonacky@chem.columbia.edu
Michael J. Creutz, Brookhaven Nat'l Lab., creutz@bnl.gov
Jack Dongarra, Univ. of Tennessee, dongarra@cs.utk.edu
Rudolf Eigenmann, Purdue Univ., eigenman@ecn.purdue.edu
David Eisenbud, Mathematical Sciences Research Inst., de@msri.org
Sharon Glotzer, Univ. of Michigan, sglotzer@umich.edu
Charles J. Holland, Office of the Defense Dept., charles.holland@osd.mil
M.Y. Hussaini, Florida State Univ., myh@cse.fsu.edu
David Kuck, KAI Software, Intel, david.kuck@intel.com
David P. Landau, Univ. of Georgia, dlandau@hal.physast.uga.edu
B. Vincent McKoy, California Inst. of Technology, mckoy@its.caltech.edu
Jill P. Mesirov, Whitehead/MIT Ctr. for Genome Research,
mesirov@genome.wi.mit.edu
Paul Messina, California Inst. of Technology, messina@cacr.caltech.edu
Cleve Moler, The MathWorks Inc., moler@mathworks.com
Yoichi Muraoka, Waseda Univ., muraoka@muraoka.info.waseda.ac.jp
Kevin J. Northover, Open Text, k.northover@computer.org
Andrew M. Odlyzko, Univ. of Minnesota, odlyzko@umn.edu
Dianne P. O'Leary, Univ. of Maryland, oleary@cs.umd.edu
Charles Peskin, Courant Inst. of Mathematical Sciences, peskin@cims.nyu.edu
Constantine Polychronopoulos, Univ. of Illinois, cdp@csrd.uiuc.edu
William H. Press, Los Alamos Nat'l Lab., wpress@lanl.gov
John Rice, Purdue Univ., jrr@cs.purdue.edu
Ahmed Sameh, Purdue Univ., sameh@cs.purdue.edu
Henrik Schmidt, MIT, henrik@keel.mit.edu
Kiyoyuki Terakura, Nat'l Inst. for Advanced Interdisciplinary Research,
terakura@jrkat.or.jp
Donald G. Truhlar, Univ. of Minnesota, truhlar@chem.umn.edu
Margaret H. Wright, Bell Lab., mhw@bell-labs.com

perhaps some important component of orbit dynamics is missing from the analysis.

At the January 2003 meeting of the American Astronomical Society (AAS) in Seattle, Anderson presented work on a phenomenon known as the Pioneer anomaly—an unexplained acceleration of the two Pioneer spacecraft toward the Sun—and the effect such a force could have on comet orbits.

While most of his work uses NASA's long-established software programs for spacecraft navigation, Anderson is able to model the Pioneer anomaly on a single PC using commercially available software such as Mathematica from Wolfram Research.

"We don't even know whether we should model the Pioneer anomaly as a constant force directed toward the Sun, or as a drag force in some sort of resisting medium beyond the orbital radius of Uranus," Anderson said at the conference.

If a previously unknown drag force exists, it could change the appearance of a comet's orbit, causing astronomers to interpret its location of origin incorrectly—again, altering scientists' picture of the solar system.

"Because we are far from convinced that comets experience the same anomalous acceleration as the Pioneer spacecraft, it is premature to claim that the Pioneer anomaly can solve some of the problems with the current observed comet distribution," Anderson said. "We simply suggest that this is an important idea that should be explored in future cometary dynamical simulations, perhaps using a brute-force approach with Beowulf clusters."

Beowulf Cuts Its Teeth—On a Comet

At least astronomers don't have to model one comet's tiny interactions with another. Shoemaker-Levy broke into more than 20 separate pieces during its fatal close encounter with Jupiter. Thomas Sterling, now a Faculty Associate at the Center for Advanced Computing Research at the California Institute of Technology, was working at NASA Goddard Spaceflight Center in 1994 when he and Donald J. Becker designed the first ever Beowulf computer cluster. NASA scientists used that first Beowulf to predict where and when the comet string would strike the planet.

They had to calculate Jupiter's pull on each individual fragment, as well as the potential gravitational effects of the Galilean moons and the Sun. But because the fragments didn't exert much gravity on each other, the scientists were able to divide up the problem with minimal communication between parallel nodes on the cluster.

"The medium-scale Beowulf systems could exploit the coarse-grain parallelism available in this problem. But beyond a certain scale, larger Beowulfs would not have been able to accelerate the problem much more," Sterling says.

If all the nodes on a cluster had to communicate with each other, as they normally do on a Beowulf, that would effectively kill the comet simulation, Levison says.

“As long as figuring out where the planets are is a trivial part of the simulation, we can let each CPU do that. Besides, it is much faster to let each node do the planet calculation redundantly than for them to communicate with each other,” he adds.

Levison’s research has inspired some innovation in Beowulf clusters, however. He, Peter Tamblyn, and other colleagues at SWRI are working on planet formation simulations. In such cases, the gravitational forces between the rocks, called planetesimals, are paramount. They had originally hoped that a Beowulf cluster would speed the simulations, but because the problem is still “narrow and deep,” it created too much crosstalk between the nodes.

He described the project at the January 2003 AAS meeting. The new strategy is to multicast messages to all the nodes and optimize the acknowledgment portion of communication between them. Normally, a node sends an acknowledgement message to prove that it received data. But if the user assumes communication between nodes is nearly reliable, infrequent acknowledgements are sufficient for catching errors and recovering data, Tamblyn explains.

Sterling approves of the idea. “They are right to observe the inefficiencies that come from attempting to scale up collective operations and multicast communication,” he says. “This is an area that can impose severe bottlenecks for some scientific simulations, and improving the overall communication behavior in this area could be a significant contribution to the community as a whole.”

Key Codes

“The key is the development of fast codes—that is where we spend a lot of our time,” Levison says. Following the orbit of a comet for 4 billion years is complicated enough in itself, but once the comet enters a solar system, its orbit is dominated by gravitational encounters with that system’s planets. Even though the encounter might only last one day, the code must suspend its normal activity and deal with each planet separately.

“It has been very difficult to develop a code that can do this and preserve the simulations for long time scales,” he says.

These kinds of problems are common to many large-scale simulations, including those that model climate patterns or interactions between atoms in a material. When coding systems emerge that make simulations easier, astronomers will be able to better understand how the solar system formed, where the comets come from, and where the comets have gone.

Pam Frost Gorder is a freelance science writer based in Columbus, Ohio.

EDITORIAL OFFICE

COMPUTING in SCIENCE & ENGINEERING

10662 Los Vaqueros Circle, PO Box 3014

Los Alamitos, CA 90720-1314

phone +1 714 821 8380; fax +1 714 821 4010; computer.org/CISE

DEPARTMENT EDITORS

Book & Web Reviews: George Cybenko, Dartmouth College, gvc@dartmouth.edu

Computing Prescriptions: Isabel Beichl, Nat’l Inst. of Standards and Tech., isabel.beichl@nist.gov, and Julian Noble, Univ. of Virginia, jvn@virginia.edu

Computer Simulations: Dietrich Stauffer, Univ. of Köln, stauffer@thp.uni-koeln.de

Education: Denis Donnelly, Siena College, donnelly@siena.edu, and Stephen Nash, snash@gmu.edu

Scientific Programming: Paul Dubois, Lawrence Livermore Nat’l Labs, dubois1@llnl.gov, and David Beazley, Univ. of Chicago, beazley@uchicago.edu

Technology News & Reviews: Douglas Tougaw, Valparaiso Univ., doug.tougaw@valpo.edu

Visualization Corner: Jim X. Chen, George Mason Univ., jchen@cs.gmu.edu, and R. Bowen Loftin, Old Dominion Univ., bloftin@odu.edu

Web Computing: Geoffrey Fox, Indiana State Univ., gcf@grids.ucs.indiana.edu

STAFF

Associate Lead Editor: Jenny Ferrero, jferrero@computer.org

Group Managing Editor: Gene Smarte

Staff Editors: Scott L. Andresen, Kathy Clark-Fisher, and Steve Woods

Production Assistant: Monette Velasco

Magazine Assistant: Hazel Kosky

Contributing Editors: Cheryl Baltes and Joan Taylor

Design Director: Toni Van Buskirk

Production Artist: Carmen Flores-Garvey

Technical Illustration: Alex Torres

Publisher: Angela Burgess

Assistant Publisher: Dick Price

Assistant Advertising Coordinator: Debbie Sims

Marketing Manager: Georgann Carter

Business Development Manager: Sandra Brown

AIP STAFF

Jeff Bebee, Circulation Director, jbebee@aip.org

Charles Day, Editorial Liaison, cday@aip.org

IEEE ANTENNAS AND PROPAGATION SOCIETY LIAISON

Don Wilton, Univ. of Houston, wilton@uh.edu

IEEE SIGNAL PROCESSING SOCIETY LIAISON

Elias S. Manolakos, Northeastern Univ., elias@cdsp.neu.edu

CS MAGAZINE OPERATIONS COMMITTEE

Jean Bacon (chair) Thomas J. Bergin, Pradip Bose, Doris L. Carver, George Cybenko, John Dill, Frank E. Ferrante, Robert Filman, Forouzan Golshani, Rajesh Gupta, Warren Harrison, Mahadev Satyanarayanan, Nigel Shadbolt, and Francis Sullivan

CS PUBLICATIONS BOARD

Rangachar Kasturi (chair), Jean Bacon, Mark Christensen, George Cybenko, Gabriella Sanniti di Baja, Lee Giles, Thomas Keefe, Dick Kemmerer, Anand Tripathi

